

KART GRAND PRIX 2T

**Special 23,000 rpm GO Kart Lubricant
Premix Racing 2 Stroke Engines
100% Synthetic - Esters**

TYPE OF USE

Formula specially developed for racing GO KARTS.
Suitable for all kinds of gasoline fuels, leaded or unleaded, biofuels.
Racing premix 2 Stroke engines running at very high RPM:
ROTAX, ATK, PARILLA, PCR, YAMAHA, Ital System, TM, ...

PERFORMANCES

STANDARDS API TC
 FIA - CIK approval

The specific 100% Synthetic - Esters formulation provides very high lubricating power which decreases friction and reduces wear.

Keeps engines always perfectly lubricated in extreme use conditions (23,000 rpm / high temperatures).

Prevents piston rings sticking.

Keeps engine clean contrary to 2 Stroke conventional racing oils.

RECOMMENDATIONS

Mixing ratio:

100 cc: 6%

125 cc: 4%

To be adjusted according to your own use and to your tuner's recommendations

PROPERTIES

Color	Visual	Red
Density at 20°C (68°F)	ASTM D1298	0.916

We retain the right to modify the general characteristics of our products in order to offer to our customers the latest technical development.

Product specifications are definitive from the order which is subject to our general conditions of sale and warranty. Made in FRANCE

MOTUL - 119 Bd Félix Faure - 93303 - AUBERVILLIERS CEDEX - BP 94 - Tel: 33 1 48 11 70 00 - Fax: 33 1 48 33 28 79 - www.motul.com



KART GRAND PRIX 2T

**Special 23,000 rpm GO Kart Lubricant
Premix Racing 2 Stroke Engines
100% Synthetic - Esters**

Viscosity at 40°C (104°F)	ASTM D445	135.0 mm ² /s
Viscosity at 100°C (212°F)	ASTM D445	16.9 mm ² /s
Viscosity Index	ASTM D2270	136.0
Pour point	ASTM D97	-33.0 °C / -27.4 °F
Flash point	ASTM D92	256.0 °C / 492.8 °F